

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

DPF / Catalyst Foam Cleaner

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

cleaning solvent for diesel particulate filter

**1.3. Details of the supplier of the safety data sheet**

Company name:	CTP GmbH	
Street:	Saalfelder Strasse 35h	
Place:	D-07338 Leutenberg	
Telephone:	+49 (0)36734 230-0	Telefax: +49 (0)36734 230-22
e-mail:	msds@bluechemgroup.com	
Contact person:	Jens Moeller, Dipl.-Chem.	Telephone: +49 (0)36734 230-19
Internet:	www.bluechemgroup.com	

**1.4. Emergency telephone number:**

For Germany: +49-361-730730 (24 hours/7 days)

**Further Information**

Article Number: 2985

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No. 1272/2008**

Hazard categories:

Aerosol: Aerosol 3

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Pressurised container: May burst if heated.

Causes skin irritation.

Causes serious eye damage.

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Hazard components for labelling**

2-aminoethanol, ethanolamine

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H318	Causes serious eye damage.

**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 2 of 8

P251	Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of this material and its container to hazardous or special waste collection point.

**Special labelling of certain mixtures**

18,0 % by mass of the contents are flammable.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Aerosols, non-flammable

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
34590-94-8	(2-methoxymethylethoxy)propanol			10 -< 25 %
	252-104-2		01-2119450011-60	
141-43-5	2-aminoethanol, ethanolamine			3 -< 5 %
	205-483-3		01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H302 H312 H332 H314 H335			
7320-34-5	tetra-potassium-diphosphate (potassium-pyro-phosphate)			1,0 -< 2,5 %
	230-785-7			
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

Remove affected person from the danger area and lay down.  
Change contaminated clothing.

**After inhalation**

Provide fresh air. If victim is at risk of losing consciousness, position and transport on their side.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.  
In case of skin irritation, seek medical treatment.

**After contact with eyes**

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 3 of 8

**After ingestion**

Do NOT induce vomiting. Consult physician.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

The following symptoms may occur:

unconsciousness. Intoxication. vomiting. drowsiness. Headache.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Extinguishing powder.

Carbon dioxide (CO<sub>2</sub>).

Water fog.

alcohol resistant foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Swims on the water. Vapours are heavier than air and will spread at floor level.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Cool endangered container in case of fire.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable solvent-proof protective clothing according to EN 465. Keep away from sources of ignition. - No smoking. Avoid contact with skin and eyes.

Do not breathe gas/fumes/vapour/spray.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**6.4. Reference to other sections**

No data

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Keep only in the original container in a cool, well-ventilated place. Have to care for a good Ventilation at workplace.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

The floor should be leak tight, jointless and not absorbent. Keep only in the original container in a cool, well-ventilated place. Do not store at temperatures over: 50 °C

Heating causes rise in pressure with risk of bursting.

**7.3. Specific end use(s)**

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 4 of 8

No information available.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)-l-propanol	50	308		TWA (8 h)	
		-	-		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

**8.2. Exposure controls**

**Protective and hygiene measures**

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

**Eye/face protection**

Wear tightly sealed safety glasses against possible splashes into the eyes.

**Hand protection**

Tested protective gloves are to be worn: FKM (Fluoroelastomer (Viton)).NBR (Nitrile rubber).

**Respiratory protection**

Have to care for a good Ventilation at workplace.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: aerosole  
Colour: transparent  
Odour: characteristic

**Test method**

pH-Value (at 20 °C): 11,4

**Changes in the physical state**

Initial boiling point and boiling range: 100 °C

Flash point: 75 °C

Lower explosion limits: 1,1 vol. %

Upper explosion limits: 14,0 vol. %

Ignition temperature: 270 °C

Vapour pressure: 8000 hPa  
(at 20 °C)

Density (at 20 °C): 1,011 g/cm<sup>3</sup>

Solvent content: Organic solvents: 18 %  
Water.: 80 %

**9.2. Other information**

Solid content: 1,0 %

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 5 of 8

No data

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No information available.

**10.2. Chemical stability**

No decomposition when used as intended.

**10.3. Possibility of hazardous reactions**

No dangerous reactions are known.

**10.4. Conditions to avoid**

Do not store at temperatures over: 50 °C

Keep away from heat.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No hazardous decomposition products are known.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
141-43-5	2-aminoethanol, ethanolamine			
	oral	LD50 1515 mg/kg	Rat	
	dermal	LD50 1025 mg/kg	Rabbit	IUCLID
	inhalative vapour	ATE 11 mg/l		
	inhalative aerosol	ATE 1,5 mg/l		

**Irritation and corrosivity**

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

**SECTION 12: Ecological information**

**12.1. Toxicity**

No information available.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
141-43-5	2-aminoethanol, ethanolamine				
	Acute fish toxicity	LC50 150 mg/l	96 h	Onchorhynchus mykiss	IUCLID
	Acute algae toxicity	ErC50 22 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 65 mg/l	48 h	Daphnia magna	
7320-34-5	tetra-potassium-diphosphate (potassium-pyro-phosphate)				
	Acute fish toxicity	LC50 >750 mg/l	96 h	Leuciscus idus	

**12.2. Persistence and degradability**

No information available.

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 6 of 8

**12.3. Bioaccumulative potential**

No information available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol, ethanolamine	-1,91 (25°C)

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

No information available.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Advice on disposal**

Do not dispose with household waste.

**Waste disposal number of waste from residues/unused products**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances  
Classified as hazardous waste.

**Waste disposal number of used product**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances  
Classified as hazardous waste.

**Contaminated packaging**

Dispose of waste according to applicable legislation.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.2



Classification code: 5A  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0  
Transport category: 3  
Hazard No: -

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 7 of 8

Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1950

**14.2. UN proper shipping name:** AEROSOLS

**14.3. Transport hazard class(es):** 2

**14.4. Packing group:** -

Hazard label: 2.2



Classification code: 5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L

Excepted quantity: E0

**Marine transport (IMDG)**

**14.1. UN number:** UN 1950

**14.2. UN proper shipping name:** AEROSOLS

**14.3. Transport hazard class(es):** 2.2

**14.4. Packing group:** -

Hazard label: 2.2



Marine pollutant: -

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL

Excepted quantity: E0

EmS: F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 1950

**14.2. UN proper shipping name:** AEROSOLS

**14.3. Transport hazard class(es):** 2.2

**14.4. Packing group:** -

Hazard label: 2.2



Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G

Passenger LQ: Y203

Excepted quantity: E0

IATA-packing instructions - Passenger: 203

IATA-max. quantity - Passenger: 75 kg

IATA-packing instructions - Cargo: 203

IATA-max. quantity - Cargo: 150 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**DPF / Catalyst Foam Cleaner**

Revision date: 08.02.2016

Product code: 1656

Page 8 of 8

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No information available.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

2004/42/EC (VOC): 951,8 g/l

**Additional information**

Contains:

< 5 % Phosphate

< 5 % nonionic tensides

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Relevant H and EUH statements (number and full text)**

H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*