

according to Regulation (EC) No 1907/2006

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Autoprofi Radiator Flush

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent for radiators

1.3. Details of the supplier of the safety data sheet

Company name:	CTP GmbH	
Street:	Saalfelder Strasse 35h	
Place:	D-07338 Leutenberg	
Telephone:	+49 (0)36734 230-0	Telefax: +49 (0)36734 230-22
e-mail:	msds@bluechemgroup.com	
Contact person:	Jens Moeller, Dipl.-Chem.	Telephone: +49 (0)36734 230-19
Internet:	www.bluechemgroup.com	

1.4. Emergency telephone number:

For Germany: +49-361-730730 (24 hours/7 days)

Further Information

Article Number: 43227

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of this material and its container to hazardous or special waste collection point.

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 2 of 7

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Organic and inorganic acids
corrosion preventing agent
Cleaning agent.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid			10 - < 15 %
	226-218-8		01-2119488633-28	
	Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 3; H315 H319 H412			
5949-29-1	citric acid			1 - < 5 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. Move victim to fresh air. Put victim at rest and keep warm.
Immediately remove any wetted clothing, shoes or stockings.

After inhalation

Provide fresh air. In case of difficulties of breathing consult physician.

After contact with skin

Change contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.
Wash contaminated clothing prior to re-use.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.
Consult physician.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritant effect on the skin: Irritant and corrosive effects.
Following eye contact: Risk of serious damage to eyes.
After ingestion: Harmful. Irritant and corrosive effects.

4.3. Indication of any immediate medical attention and special treatment needed

The following symptoms may occur:
Coughing. Nausea. shortage of breath. Belly-ache.

SECTION 5: Firefighting measures

according to Regulation (EC) No 1907/2006

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 3 of 7

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder.
Sand.
alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Sulphur dioxide (SO₂). Nitrogen oxides (NO_x). Ammonia.

5.3. Advice for firefighters

No information available.

Additional information

Contaminated fire-fighting water must not get into the sewerage network. Contaminated fire-fighting water must be collected separately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier).
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

No data

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed in a cool place.
Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Advice on storage compatibility

Do not store together with: Alkalies (alkalis).

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately.
Avoid contact with skin and eyes.

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes.

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 4 of 7

Hand protection

Tested protective gloves are to be worn: Butyl rubber.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid, clear
Colour: light yellow
Odour: odourless

Test method

pH-Value (at 20 °C): 0-1

Changes in the physical state

Melting point: < 0 °C
Initial boiling point and boiling range: > 100 °C
Density (at 20 °C): 1,07 g/cm³
Water solubility: easily soluble.
(at 20 °C)

9.2. Other information

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions are known.

10.4. Conditions to avoid

No decomposition when used as intended.

10.5. Incompatible materials

Oxidizing agents. Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

Sulphur dioxide (SO₂), nitrogen oxides (NO_x), Ammonia.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid			
	oral	LD50 3160 mg/kg	Rat	
5949-29-1	citric acid			
	oral	LD50 5400 mg/kg	mouse.	
	dermal	LD50 >2000 mg/kg	Rat	

according to Regulation (EC) No 1907/2006

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 5 of 7

Irritation and corrosivity

Irritant effect on the skin: Irritant and corrosive effects
Following eye contact: Risk of serious damage to eyes.

Sensitising effects

None

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid					
	Acute fish toxicity	LC50	70,3 mg/l	96 h	Pimephales promelas	
5949-29-1	citric acid					
	Acute fish toxicity	LC50	440 mg/l	96 h	Leuciscus idus	
	Acute algae toxicity	ErC50	425 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50	1535 mg/l	48 h	Daphnia magna	

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.
product is acid. The product needs to apply neutralizing agents before draining to wastewater treatment plants.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not dispose with household waste.
Do not allow to enter into surface water or drains.
Arrange about the exact waste code with the local waste disposal expert.
product is acid. The product needs to apply neutralizing agents before draining to wastewater treatment plants.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 2967
14.2. UN proper shipping name:	SULPHAMIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



according to Regulation (EC) No 1907/2006

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 6 of 7

Classification code: C2
Special Provisions: -
Limited quantity: 5 kg
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 2967
14.2. UN proper shipping name: SULPHAMIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C2
Limited quantity: 5 kg
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 2967
14.2. UN proper shipping name: SULPHAMIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Marine pollutant: -
Special Provisions: -
Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2967
14.2. UN proper shipping name: SULPHAMIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: A803
Limited quantity Passenger: 5 kg
Passenger LQ: Y845
Excepted quantity: E1
IATA-packing instructions - Passenger: 860
IATA-max. quantity - Passenger: 25 kg

according to Regulation (EC) No 1907/2006

Autoprofi Radiator Flush

Revision date: 09.11.2015

Product code: 1499

Page 7 of 7

IATA-packing instructions - Cargo:

864

IATA-max. quantity - Cargo:

100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Contains:

5 - 15 % nonionic tensides

< 5 % anionic surfactants

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)