

Nano-Wheel Sealant Set

Product properties

Provides a long term protection from road grime, salt and other aggressive in uences. It helps to prevent baked on brake dust. The sealant is suitable for all varnished wheels.

Content: 200 ml Wheel Cleaner 150 ml Sealant

Area of application

car and motorcycle wheels, off-road, bicycle and classic wheels

Application

<u>Nano Wheel Rim Cleaner</u> Shake well before use! Always test on an inconspicuous area. Spray the cleaner evenly onto surface and allowto penetrate for a few minutes (depending on degree of contamination). Afterwards rinse with plenty of water. Important: Do not use on hot surfaces. The cleaner must not be allowed to dry on the surface.

Nano Wheel Rim Sealant Shake well before use! Surface preparation: The surface has to be completely clean, dry and free of grease. Sealing: Always test on an inconspicuous area. Spray the sealant evenly onto the surface (approx 30-40 ml per wheel, spray 2-3 times). Allow the sealant to penetrate for approx 1 minute. Afterwards polish the surface with a soft cloth. The sealed parts may not be cleaned mechanically or chemically for 2 hours at least. Do not apply at temperatures below 5 °C or above 30 °C. 150 ml (for 4 wheels at least).

Consumption

1 set for up to 4 rims

Technical data Wheel Cleaner

Physical state: liquid

Colour: red Odour: mild

pH-Value (at 68 °F): 1,2 Melting point: < 0 °C

Initial boiling point and boiling range: > 80 °C

Flashpoint: > 100 °C

Ignition temperature: > 200 °C Density at 68 °F: 1,0 - 1,1 g/cm³

Water soluble

Technical data Wheel Sealant

Physical state: liquid Colour: clear/colourless Odour: alcoholic

Initial boiling point and boiling range: 82 °C

Flashpoint: < 21 °C (DIN 51755) Lower explosion limit: 2 Vol.-% Upper explosion limit: 12 Vol.-%

Ignition temperature: 425 °C (DIN 51794) Vapour pressure (at 68 °F): 42 hPa

Water solubility: miscible



Available size	Item no.	PU
1x 200 ml Wheel Cleaner & 1x150 ml Sealant	21183	8

Our information is based on careful examination and may be considered as reliable. Hower, all information supplied is a non-binding advise. No liability for printing errors, technical modifications and errors excepted.

