



Revision date: 19.04.2018

Product code: 1788

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Triple X PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner for car catalysts

1.3. Details of the supplier of the safety data sheet

| Company name: | CTP GmbH | |
|--------------------------|------------------------------------|--------------------------------|
| Street: | Saalfelder Strasse 35h | |
| Place: | D-07338 Leutenberg | |
| Telephone: | +49 (0)36734 230-0 | Telefax: +49 (0)36734 230-22 |
| e-mail: | msds@bluechemgroup.com | |
| Contact person: | Jens Moeller, DiplChem. | Telephone: +49 (0)36734 230-19 |
| Internet: | www.bluechemgroup.com | |
| 1.4. Emergency telephone | GBK GmbH: +49-(0)6132-84463 (24/7) | |

number:

Further Information

Article Number: 33640, 33642, 33643, 33644, 33646, 33648, 33649

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Harmful if inhaled. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics 2-ethyl-hexanol Benzyl alcohol

Signal word:



Hazard statements

H304 H315

Pictograms:

May be fatal if swallowed and enters airways. Causes skin irritation.





Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 2 of 8

| H319 | Causes serious eye irritation. |
|------|-----------------------------------|
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |

Precautionary statements

| ••••••••••••••••••••••••••••••••••••••• | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P260 | Do not breathe vapour/aerosole. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves and eye/face protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P331 | Do NOT induce vomiting. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P405 | Store locked up. |
| P501 | Dispose of this material and its container to hazardous or special waste collection point. |
| | |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solvent mixture

Hazardous components

| CAS No | Chemical name | | Quantity | |
|--------------------------|---|---------------------------------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulat | on (EC) No. 1272/2008 [CLP] | • | |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes | s, Isoalkanes, Cyclics, < 2% Aromatic | cs | 30 - < 35 % |
| | 918-481-9 | | 01-2119457273-39 | |
| Asp. Tox. 1; H304 EUH066 | | | | |
| 104-76-7 | 2-ethyl-hexanol | | 30 - < 35 % | |
| | 203-234-3 | | 01-2119487289-20 | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Irrit. | 35 | | |
| 100-51-6 | Benzyl alcohol | | 30 - < 35 % | |
| | 202-859-9 | | 01-2119492630-38 | |
| | Acute Tox. 4, Acute Tox. 4, Eye Irrit | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move victim to fresh air. Put victim at rest and keep warm.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

In case of difficulties of breathing consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes .

After contact with skin, wash immediately with plenty of water and soap.



Safety Data Sheet



according to Regulation (EC) No 1907/2006

Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 3 of 8

Rub greasy ointment into the skin.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

After ingestion

Let water be drunken in little sips (dilution effect). Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

After ingestion: Harmful: may cause lung damage if swallowed.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder. Sand. alcohol resistant foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Cool endangered container in case of fire. Contaminated fire-fighting water must be collected separately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of fire: Wear self-contained breathing apparatus.

6.2. Environmental precautions

Beat down gas/vapours/mist with water spray. Do not empty into drains or the aquatic environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier). Wipe up with absorbent material (eg. cloth, fleece).

6.4. Reference to other sections

No data

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Closed devices. Vapours / aerosols must be extracted by suction immediately at point of origin.



Safety Data Sheet



according to Regulation (EC) No 1907/2006

Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 4 of 8

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (DIN EN 166)

Hand protection

Tested protective gloves are to be worn: Butyl rubber. (DIN EN 374)

Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid |
|-----------------|------------------|
| Colour: | clear/colourless |
| Odour: | characteristic |

Changes in the physical state

Flash point:

Density (at 20 °C): Water solubility: (at 20 °C)

9.2. Other information

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions are known.

Test method

~70 °C DIN EN ISO 2719 0,88 g/cm³ DIN 51757 insoluble





Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 5 of 8

10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

10.5. Incompatible materials

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). aldehydes

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (inhalative vapour) 16,67 mg/l; ATE (inhalative aerosol) 3,345 mg/l

Acute toxicity

| CAS No | Chemical name | | | | | |
|------------|--------------------------|---------------|-------------|-------------------------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 64742-48-9 | Hydrocarbons, C10-C13, | n-Alkanes, | lsoalkanes, | Cyclics, < 2% Aromatics | | |
| | oral | LD50 mg/kg | > 5000 | Rat | | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | | |
| | inhalative (4 h) gas | LC50 | >5 ppm | Rat | | |
| 104-76-7 | 2-ethyl-hexanol | | | | | |
| | oral | LD50 mg/kg | 2047 | Rat | | |
| | dermal | LD50 mg/kg | >3000 | Rat | | |
| | inhalative vapour | ATE | 11 mg/l | | | |
| | inhalative aerosol | ATE | 1,5 mg/l | | | |
| 100-51-6 | Benzyl alcohol | | | | | |
| | oral | LD50 mg/kg | 1230 | Rat | | |
| | dermal | LD50 mg/kg | 2000 | Rabbit | | |
| | inhalative vapour | ATE | 11 mg/l | | | |
| | inhalative (4 h) aerosol | LC50 mg/l | >4,178 | Rat | | |

Irritation and corrosivity

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation. Irritation of eyes: Irritant effect possible.

SECTION 12: Ecological information

12.1. Toxicity





Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 6 of 8

| CAS No | Chemical name | | | | | | |
|------------|--------------------------|---------------|---------------|-----------|---|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 64742-48-9 | Hydrocarbons, C10-C13, | n-Alkanes, | Isoalkanes, C | yclics, < | 2% Aromatics | | |
| | Acute fish toxicity | LC50 mg/l | 1000 | 96 h | Oncorhynchus mykiss | | |
| | Acute algae toxicity | ErC50 mg/l | 1000 | 72 h | Pseudokirchneriella subcapitata | | |
| | Acute crustacea toxicity | EC50 mg/l | 1000 | | Daphnia magna (Big water flea) | | |
| 104-76-7 | 2-ethyl-hexanol | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 17,1 | 96 h | Leuciscus idus | | |
| | Acute algae toxicity | ErC50 | 11,5 mg/l | 72 h | Scenedesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 | 39 mg/l | 48 h | Daphnia magna | | |
| 100-51-6 | Benzyl alcohol | | | | | | |
| | Acute fish toxicity | LC50 | 460 mg/l | 96 h | Pimephales promelas (fathead minnow) | | |
| | Acute algae toxicity | ErC50 | 640 mg/l | | Scenedesmus quadricauda | | |
| | Acute crustacea toxicity | EC50 | 400 mg/l | 48 h | Daphnia magna (Big water flea) | | |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not dispose with household waste.

Do not empty into drains or the aquatic environment.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Arrange about the exact waste code with the local waste disposal expert.

Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. Do not pierce, cut up or weld unclean container. (Explosion hazard.)

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:





Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 7 of 8

| Revision date. 19.04.2016 Product code. 1766 Page 7 of |
|---|
| 14.2. UN proper shipping name: |
| 14.3. Transport hazard class(es): |
| 14.4. Packing group: |
| Other applicable information (land transport) No dangerous good in sense of these transport regulations. |
| Inland waterways transport (ADN) |
| Other applicable information (inland waterways transport) No dangerous good in sense of these transport regulations. |
| Marine transport (IMDG) |
| Other applicable information (marine transport) No dangerous good in sense of these transport regulations. |
| Air transport (ICAO-TI/IATA-DGR) |
| Other applicable information (air transport) No dangerous good in sense of these transport regulations. |
| 14.5. Environmental hazards |
| ENVIRONMENTALLY HAZARDOUS: no |
| 14.6. Special precautions for user No information available. |
| 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code |
| No information available. |
| SECTION 15: Regulatory information |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture |
| EU regulatory information |
| Restrictions on use (REACH, annex XVII): |
| Entry 28: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics |
| Additional information |
| Contains: (Regulation (EC) No. 648/2004 (Detergents regulation)) > 30 % hydrocarbons, aliphatic. |
| National regulatory information |
| Water contaminating class (D): 1 - slightly water contaminating |
| Additional information |
| Regarding the EU-directive 2008/105/EU contains the product none of the listed substances. |
| |

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Acute Tox. 4; H332 | Calculation method |
| Asp. Tox. 1; H304 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| STOT SE 3; H335 | Calculation method |





Triple X PLUS

Revision date: 19.04.2018

Product code: 1788

Page 8 of 8

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|--------|---|
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)