



according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Cetane Booster

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Increase the cetane number.

# 1.3. Details of the supplier of the safety data sheet

Company name: CTP GmbH

Street: Saalfelder Strasse 35h Place: D-07338 Leutenberg

Telephone: +49 (0)36734 230-0 Telefax: +49 (0)36734 230-22

e-mail: msds@bluechemgroup.com

Contact person: Jens Moeller, Dipl.-Chem. Telephone: +49 (0)36734 230-19

Internet: www.bluechemgroup.com

**1.4. Emergency telephone** GBK GmbH: +49-(0)6132-84463 (24/7)

number:

**Further Information** 

Article Number: 33210, 33211, 33212, 33214, 33216

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Aspiration hazard: Asp. Tox. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements: Harmful if inhaled. Harmful if swallowed.

May be fatal if swallowed and enters airways.

Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

## Hazard components for labelling

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

2-Ethyl hexyl nitrate

Signal word: Danger

Pictograms:







## **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.





according to Regulation (EC) No 1907/2006

|                           | Cetane Booster     |             |
|---------------------------|--------------------|-------------|
| Revision date: 27.04.2018 | Product code: 1314 | Page 2 of 9 |

| P102      | Keep out of reach of children.                         |
|-----------|--|
| P260      | Do not breathe vapour/aerosole.                        |
| P270      | Do not eat, drink or smoke when using this product.    |
| P271      | Use only outdoors or in a well-ventilated area.        |
| P273      | Avoid release to the environment.                      |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P331      | Do NOT induce vomiting.                                |
| D0.40     | O II DOLOGNI GENITEDI I I II II II II                  |

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of this material and its container to hazardous or special waste collection point.

### Special labelling of certain mixtures

EUH044 Risk of explosion if heated under confinement.

EUH066 Repeated exposure may cause skin dryness or cracking.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

Petroleum (Gasoline)

Additives

### **Hazardous components**

| CAS No     | Chemical name  |          |                  |  |  |
|------------|--|----------|------------------|--|--|
|            | EC No  | Index No | REACH No         |  |  |
|            | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                |          |                  |  |  |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics                          |          |                  |  |  |
|            | 918-481-9  |          | 01-2119457273-39 |  |  |
|            | Asp. Tox. 1; H304 EUH066   |          |                  |  |  |
| 27247-96-7 | 2-Ethyl hexyl nitrate  |          |                  |  |  |
|            | 248-363-6  |          | 01-2119539586-27 |  |  |
|            | Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H332 H312 H302 H411 EUH044 EUH066 |          |                  |  |  |

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No special measures are necessary.

#### After inhalation

Move victim out of danger zone. Provide fresh air. Consult physician.

### After contact with skin

After contact with skin, wash immediately with: Water and soap.

# After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

## After ingestion

Do NOT induce vomiting. Consult physician.





according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 3 of 9

### 4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

After ingestion: Harmful: may cause lung damage if swallowed.

Harmful by inhalation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray. Sand. Foam. Carbon dioxide. dry extinguishing powder.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

No information available.

## 5.3. Advice for firefighters

Use appropriate respiratory protection.

#### Additional information

Contaminated fire-fighting water must not get into the sewerage network.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation.

Avoid contact with skin and eyes.

Do not breathe gas/fumes/vapour/spray.

Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: Sand Kieselguhr. Universal binding agent. Sawdust.

#### 6.4. Reference to other sections

No data

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Avoid formation of fumes/aerosols.

Do not breathe gas/fumes/vapour/spray.

Do not pierce, cut up or weld unclean container.

## Advice on protection against fire and explosion

When hot, product develops flammable vapors.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Risk of explosion if heated under confinement.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Do not store at temperatures over: 50 °C

Provide for good ventilation, when develop aerosols/mist.





according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 4 of 9

### 7.3. Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls

# Appropriate engineering controls

hydrocarbons. group 1

200 ml/m3 (ppm) 1000 mg/m3

## Protective and hygiene measures

Avoid contact with skin, eyes and clothes.

### Eye/face protection

Suitable eye protection: Wear tightly sealed safety glasses against possible splashes into the eyes.

### Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber).

### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

#### Respiratory protection

Respiratory protection: not required.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: aromatic

## Changes in the physical state

Initial boiling point and boiling range: 180 - 220 °C

Flash point: > 65 °C

Lower explosion limits: 0,73 vol. %

Upper explosion limits: 6 vol. %

Ignition temperature: > 200 °C

Density (at 20 °C): 0,83 - 0,84 g/cm³

Water solubility: insoluble

### 9.2. Other information

No data

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No decomposition when used as intended.

# 10.3. Possibility of hazardous reactions

No dangerous reactions are known.





according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 5 of 9

### 10.4. Conditions to avoid

No decomposition when used as intended.

Only use the material in places where open light, fire and other flammable sources can be kept away.

# 10.5. Incompatible materials

Oxidizing agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

Carbon monoxide.

Carbon dioxide.

Nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **ATEmix** calculated

ATE (oral) 1250,0 mg/kg; ATE (inhalative aerosol) 3,750 mg/l

### **Acute toxicity**

| CAS No     | Chemical name           |   |          |         |        |        |  |  |  |
|------------|-------------------------|---|----------|---------|--------|--------|--|--|--|
|            | Exposure route          | Dose  |          | Species | Source | Method |  |  |  |
| 64742-48-9 | Hydrocarbons, C10-C13,  | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics |          |         |        |        |  |  |  |
|            | oral                    | LD50<br>mg/kg   | > 5000   | Rat     |        |        |  |  |  |
|            | dermal                  | LD50<br>mg/kg   | > 5000   | Rabbit  |        |        |  |  |  |
|            | inhalative (4 h) gas    | LC50  | >5 ppm   | Rat     |        |        |  |  |  |
| 27247-96-7 | 2-Ethyl hexyl nitrate   |   |          |         |        |        |  |  |  |
|            | oral                    | LD50<br>mg/kg   | >9640    | Rat     |        |        |  |  |  |
|            | dermal                  | LD50<br>mg/kg   | >4820    | Rabbit  |        |        |  |  |  |
|            | inhalative (1 h) vapour | LC50  | 4,6 mg/l | Rat     |        |        |  |  |  |
|            | inhalative aerosol      | ATE   | 1,5 mg/l |         |        |        |  |  |  |

### Irritation and corrosivity

Irritant effect on the eye: irritant.

Irritant effect on the skin: Frequently or prolonged contact with skin may cause dermal irritation.

# Carcinogenic/mutagenic/toxic effects for reproduction

No Carcinogenic, germ cell mutagen and reproduction effects

# **SECTION 12: Ecological information**

## 12.1. Toxicity





according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 6 of 9

| CAS No     | Chemical name   |               |          |           |                                    |        |        |
|------------|---|---------------|----------|-----------|------------------------------------|--------|--------|
|            | Aquatic toxicity  | Dose          |          | [h]   [d] | Species                            | Source | Method |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics |               |          |           |                                    |        |        |
|            | Acute fish toxicity   | LC50<br>mg/l  | 1000     | 96 h      | Oncorhynchus mykiss                |        |        |
|            | Acute algae toxicity  | ErC50<br>mg/l | 1000     |           | Pseudokirchneriella<br>subcapitata |        |        |
|            | Acute crustacea toxicity  | EC50<br>mg/l  | 1000     |           | Daphnia magna (Big<br>water flea)  |        |        |
| 27247-96-7 | 2-Ethyl hexyl nitrate   |               |          |           |                                    |        |        |
|            | Acute fish toxicity   | LC50          | 2 mg/l   | 96 h      | Fish                               |        |        |
|            | Acute algae toxicity  | ErC50<br>mg/l | 1-10     | 72 h      | Algae                              |        |        |
|            | Acute crustacea toxicity  | EC50          | >10 mg/l | 48 h      | Daphnia magna                      |        |        |

### 12.2. Persistence and degradability

Product is partially biodegradable.

### 12.3. Bioaccumulative potential

Low potential of bio-accumulation.

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Dispose of waste according to applicable legislation.

Carry out under observation of official regulations covering a chemical/physical treatment plant.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Arrange about the exact waste code with the local waste disposal expert.

## Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## Contaminated packaging

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Do not pierce, cut up or weld unclean container.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)





according to Regulation (EC) No 1907/2006

**Cetane Booster** 

Revision date: 27.04.2018 Product code: 1314 Page 7 of 9

**14.1. UN number:** UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

9

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Marine pollutant:

Special Provisions: 274, 335, 969

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es): 9
14.4. Packing group: III





according to Regulation (EC) No 1907/2006

### **Cetane Booster**

Revision date: 27.04.2018 Product code: 1314 Page 8 of 9

Hazard label:

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: 2-Ethyl hexyl nitrate

14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

### **Additional information**

Contains:

> 30 % hydrocarbons, aliphatic.

## National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Acute Tox. 4; H332      | Calculation method       |
| Acute Tox. 4; H302      | Calculation method       |
| Asp. Tox. 1; H304       | Calculation method       |
| Aquatic Chronic 2; H411 | Calculation method       |

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H304 May be fatal if swallowed and enters airways.





according to Regulation (EC) No 1907/2006

| Cetane | Boo | ster |
|--------|-----|------|
|--------|-----|------|

Revision date: 27.04.2018 Product code: 1314 Page 9 of 9

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.
EUH044 Risk of explosion if heated under confinement.

EUH066 Repeated exposure may cause skin dryness or cracking.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)