



according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Autoprofi Automatic Transmission Conditioner

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Oil Performance Improver

### 1.3. Details of the supplier of the safety data sheet

Company name: CTP GmbH

Street: Saalfelder Strasse 35h
Place: D-07338 Leutenberg

Telephone: +49 (0)36734 230-0 Telefax: +49 (0)36734 230-22

e-mail: msds@bluechemgroup.com

Contact person: Jens Moeller, Dipl.-Chem. Telephone: +49 (0)36734 230-19

Internet: www.bluechemgroup.com

**1.4. Emergency telephone** GBK GmbH: +49-(0)6132-84463 (24/7)

number:

**Further Information** 

Article Number: 43236

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Hazard components for labelling

Amines, C12-14-tert-alkyl, reaction products with O,O-di-C1-14-alkyl hydrogen phosphorodithioate

Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate

Signal word: Warning

Pictograms:



### **Hazard statements**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 2 of 7

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of this material and its container to hazardous or special waste collection point.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Additives (ashless)

Inhibitors

Mineral oils

Preventing agent

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
71888-91-0	Amines, C12-14-tert-alkyl, reaction products with O,O-di-C1-14-alkyl hydrogen phosphorodithioate			10 - < 15 %
	276-159-7		01-2120770937-38	
	Flam. Liq. 3, Skin Sens. 1, Aquatic Chronic 2; H226 H317 H411			
68413-48-9	Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate		5 - < 10 %	
	270-220-1		01-2120786863-37	
	Skin Sens. 1B, Aquatic Chronic 4; H317 H413			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes.

Subsequently wash off with: Water and soap.

Seek medical attention if problems persist.

# After contact with eyes

Remove contact lenses.

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

### After ingestion

Rinse mouth thoroughly with water.

Do NOT induce vomiting.

Consult physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

# 4.3. Indication of any immediate medical attention and special treatment needed

Warning about danger of aspiration.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 3 of 7

### Suitable extinguishing media

Extinguishing powder.

Sand.

Carbon dioxide (CO2).

Water spray.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible.

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Cool endangered container in case of fire.

Beat down gas/vapours/mist with water spray.

Contaminated fire-fighting water must be collected separately.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear a self-contained breathing apparatus and chemical resistant suit.

High skid risk because of leaking or spilled product.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

# 6.4. Reference to other sections

No data

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

The substance should only be handled in closed apparatus or systems.

Avoid contact with skin and eyes.

Avoid oil mist

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Do not store at temperatures over: 50 °C

# Hints on joint storage

Should be stored seperately from oxidizing agents.

#### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 4 of 7

### Protective and hygiene measures

Take off immediately all contaminated clothing

Avoid contact with skin and eves.

Keep away from food, drink and animal feeding stuffs.

When using do not eat, drink or smoke.

Wash hands before breaks and after work

# Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

### Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer (Viton)). (EN374)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of fire: Wear self-contained breathing apparatus.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: viscous
Colour: red
Odour: Mild

#### Changes in the physical state

Flash point: > 100 °C

Lower explosion limits: Upper explosion limits:

Density (at 20 °C): 0.87 - 0.92 g/cm³
Water solubility: insoluble (at 20 °C)

# Solubility in other solvents

Organic solvents

# 9.2. Other information

No data

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No decomposition when used as intended.

### 10.3. Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4. Conditions to avoid

No decomposition when used as intended. Keep at temperature not exceeding 50 °C.

# 10.5. Incompatible materials

Oxidizing agents. acid, concentrated.

# 10.6. Hazardous decomposition products

No hazardous decomposition products are known.





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 5 of 7

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
71888-91-0	Amines, C12-14-tert-alkyl, reaction products with O,O-di-C1-14-alkyl hydrogen phosphorodithioate				
	oral	LD50 >2000 mg/kg	Rat		
68413-48-9	Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate				
	oral	LD50 11300 mg/kg	Rat		

#### Irritation and corrosivity

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

### Sensitising effects

no danger of sensitization.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name			
	Aquatic toxicity	Dose	[h]   [d] Species Source Method	
71888-91-0	Amines, C12-14-tert-alkyl, reaction products with O,O-di-C1-14-alkyl hydrogen phosphorodithioate			
	Acute fish toxicity	LC50 2,55 mg/l	96 h Brachydanio rerio	
	Acute crustacea toxicity	EL50 4,90 mg/l	48 h Daphnia magna	

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria).

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

No information available.

# 12.6. Other adverse effects

No information available.

# Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Arrange about the exact waste code with the local waste disposal expert.





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 6 of 7

### Contaminated packaging

Container must be completely emptied.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

<u>14.1. UN number:</u>

14.2. UN proper shipping name:
14.3. Transport hazard class(es):

14.4. Packing group:

### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

# Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

#### **Additional information**

Contains:

5 - 15 % phosphates

### National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2.

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	<u> </u>
Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method





according to Regulation (EC) No 1907/2006

# **Autoprofi Automatic Transmission Conditioner**

Revision date: 02.08.2019 Product code: 1697 Page 7 of 7

### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)