



according to Regulation (EC) No 1907/2006

## Radiator Stop Leak

Revision date: 04.09.2020 Product code: 1318 Page 1 of 6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Radiator Stop Leak

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Repairing of smaller leaks in the radiator.

### 1.3. Details of the supplier of the safety data sheet

Company name: CTP GmbH

Street: Saalfelder Strasse 35h
Place: D-07338 Leutenberg

Telephone: +49 (0)36734 230-0 Telefax: +49 (0)36734 230-22

e-mail: msds@bluechemgroup.com

Contact person: Jens Moeller, Dipl.-Chem. Telephone: +49 (0)36734 230-19

Internet: www.bluechemgroup.com

**1.4. Emergency telephone** GBK GmbH: +49-(0)6132-84463 (24/7)

number:

**Further Information** 

Article Number: 33310, 33311, 33315, 33316

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH208 Contains 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (HHT). May produce an

allergic reaction.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

Biodegradable concentrate of stop leak agent.

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
532-32-1	sodium benzoate					
	208-534-8		01-2119460683-35			
	Eye Irrit. 2; H319					

Full text of H and EUH statements: see section 16.





according to Regulation (EC) No 1907/2006

## Radiator Stop Leak

Revision date: 04.09.2020 Product code: 1318 Page 2 of 6

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Change contaminated clothing.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

In case of skin irritation, seek medical treatment.

#### After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Consult physician.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

Irritation of eyes: Irritant effect possible.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Extinguishing powder, alcohol resistant foam, Sand.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

No information available.

### 5.3. Advice for firefighters

No information available.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

No information available.

### 6.3. Methods and material for containment and cleaning up

To clean the floor and all objects contaminated by this material, use plenty of water.

### 6.4. Reference to other sections

No data

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes.

# 7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

## Radiator Stop Leak

Revision date: 04.09.2020 Product code: 1318 Page 3 of 6

## Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Storage temperature: of °C: 5 up to °C: 50

#### 7.3. Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls

## Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes.

#### Hand protection

Tested protective gloves are to be worn: Butyl rubber.

#### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

#### Respiratory protection

Provide adequate ventilation.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid, Jelly Colour: green
Odour: noticeable

pH-Value (at 20 °C):

## Changes in the physical state

Initial boiling point and boiling range:  $85 - 110 \, ^{\circ}\text{C}$  Density (at 20  $^{\circ}\text{C}$ ):  $0,95 - 1,1 \, \text{g/cm}^3$  Water solubility: easily soluble.

(at 20 °C)

## 9.2. Other information

No data

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

## 10.2. Chemical stability

No decomposition when used as intended.

## 10.3. Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4. Conditions to avoid

No decomposition when used as intended.

UV-solarization/sunlight.

## 10.5. Incompatible materials

Should be stored seperately from oxidizing agents.





according to Regulation (EC) No 1907/2006

## **Radiator Stop Leak**

Revision date: 04.09.2020 Product code: 1318 Page 4 of 6

## 10.6. Hazardous decomposition products

No decomposition when used as intended.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
532-32-1	sodium benzoate							
	oral	LD50 >2000 mg/kg	Rat					
	dermal	LD50 >2000 mg/kg	Rabbit					
	inhalation (4 h) vapour	LC50 >12,2 mg/l	Rabbit					

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (HHT). May produce an allergic reaction.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
532-32-1	sodium benzoate								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Fish				
	Acute algae toxicity	ErC50	>10 mg/l	72 h	Algae				
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna				

## 12.2. Persistence and degradability

Product is biodegradable.

### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.





according to Regulation (EC) No 1907/2006

## Radiator Stop Leak

Revision date: 04.09.2020 Product code: 1318 Page 5 of 6

#### 12.6. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Arrange about the exact waste code with the local waste disposal expert.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

#### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

## Inland waterways transport (ADN)

#### Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

## Air transport (ICAO-TI/IATA-DGR)

### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

### **Additional information**

Contains:

Preservatives.

# National regulatory information

Water hazard class (D): - - non-hazardous to water





Print date: 04.09.2020

according to Regulation (EC) No 1907/2006

## **Radiator Stop Leak**

Revision date: 04.09.2020 Product code: 1318 Page 6 of 6

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,11.

## Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

EUH208 Contains 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (HHT). May produce an

allergic reaction.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)