



| | Piko Lino Engino Eluc | h | |
|---|--|--------------------------------|-------------|
| Revision date: 14.12.2018 | Bike-Line Engine Flus Product code: 248 | | Page 1 of 8 |
| | | | |
| SECTION 1: Identification of the s | substance/mixture and of the compa | ny/undertaking | |
| 1.1. Product identifier | | | |
| Bike-Line Engine Flush | | | |
| 1.2. Relevant identified uses of the second | ubstance or mixture and uses advised a | against | |
| Use of the substance/mixture Cleaning agent for Engines | | | |
| 1.3. Details of the supplier of the safe | ety data sheet | | |
| Company name: | CTP GmbH | | |
| Street: Place: | Saalfelder Strasse 35h D-07338 Leutenberg | | |
| Telephone: | +49 (0)36734 230-0 | Telefax:+49 (0)36734 230-22 | |
| e-mail: | msds@bluechemgroup.com | | |
| Contact person: | Jens Moeller, DiplChem. | Telephone: +49 (0)36734 230-19 | |
| Internet: | www.bluechemgroup.com | | |
| 1.4. Emergency telephone_ number: | GBK GmbH: +49-(0)6132-84463 (24/7) | | |
| Further Information | | | |
| Article Number: 3001 | | | |
| SECTION 2: Hazards identificatio | - | | |
| SECTION 2: Hazards Identificatio | h | | |
| 2.1. Classification of the substance of | or mixture | | |
| Regulation (EC) No. 1272/2008 | | | |
| Hazard categories: | | | |
| Aspiration hazard: Asp. Tox. 1 Reproductive toxicity: Lact. | | | |
| Hazardous to the aquatic enviro | onment: Aquatic Chronic 3 | | |
| Hazard Statements: | | | |
| May be fatal if swallowed and e May cause harm to breast-fed o | | | |
| Harmful to aquatic life with long | | | |
| 2.2. Label elements | č | | |

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics Chlorparaffines C14-C28 Signal word:

Danger

Pictograms:



Hazard statements

| H304 | May be fatal if swallowed and enters airways. |
|------|--|
| H362 | May cause harm to breast-fed children. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| P101 | If medical advice is needed, have product container or label at hand. |
|------|---|
| P102 | Keep out of reach of children. |





Bike-Line Engine Flush Revision date: 14.12.2018 Product code: 248 Page 2 of 8 Do not breathe Vapour/aerosole. P260 Avoid contact during pregnancy and while nursing. P263 P270 Do not eat, drink or smoke when using this product. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of this material and its container to hazardous or special waste collection point. Special labelling of certain mixtures Repeated exposure may cause skin dryness or cracking.

EUH066

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Anti Friction Components Detergents, Dispersants Synthetic agent combinations corrosion preventing agent

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---|----------|------------------|-----------|--|
| | EC No | Index No | REACH No | | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics | | | | |
| | 918-481-9 | | 01-2119457273-39 | | |
| | Asp. Tox. 1; H304 EUH066 | | | | |
| 85535-85-9 | 9 Chlorparaffines C14-C28 | | | 1 - < 5 % | |
| | 287-477-0 | | 01-2119519269-33 | | |
| | Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066 | | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes . Subsequently wash off with: Water and soap. Seek medical attention if problems persist.

After contact with eyes

Remove contact lenses. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. After ingestion of absorption substances: Consult physician.

After ingestion

Let water be drunken in little sips (dilution effect). Consult physician. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet



according to Regulation (EC) No 1907/2006

Bike-Line Engine Flush

Revision date: 14.12.2018

Product code: 248

Page 3 of 8

4.3. Indication of any immediate medical attention and special treatment needed Warning about danger of aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder.

Sand. Carbon dioxide (CO2). alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Cool endangered container in case of fire. Beat down gas/vapours/mist with water spray. Contaminated fire-fighting water must be collected separately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear a self-contained breathing apparatus and chemical resistant suit. Keep away from sources of ignition - No smoking. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Beat down gas/vapours/mist with water spray. Do not empty into drains or the aquatic environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.4. Reference to other sections

No data

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

The substance should only be handled in closed apparatus or systems. Vapours / aerosols must be extracted by suction immediately at point of origin.

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.





Bike-Line Engine Flush

Revision date: 14.12.2018

Product code: 248

Page 4 of 8

Do not store at temperatures over: 50 °C Take precautionary measures against static discharges.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Take off immediately all contaminated clothing

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feeding stuffs.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer (Viton)). (EN374)

Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

Respiratory protection

Provide for good ventilation, when develop aerosols/mist. In case of fire: Wear self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid | |
|--|----------|---------------------|
| Colour: | green | |
| Odour: | aromatic | |
| Changes in the physical state | | |
| Initial boiling point and boiling range: | | 180 - 220 °C |
| Flash point: | | >61 °C |
| Ignition temperature: | | > 200 °C |
| Vapour pressure: (at 20 °C) | | 20 hPa |
| Density (at 20 °C): | | 0,790 - 0,820 g/cm³ |
| Water solubility: (at 20 °C) | | insoluble |
| Solubility in other solvents Organic solvents | | |
| Viscosity / kinematic: (at 40 °C) | | ~2,0 mm²/s |
| 9.2. Other information | | |
| No data | | |

SECTION 10: Stability and reactivity





Bike-Line Engine Flush

Revision date: 14.12.2018

Product code: 248

Page 5 of 8

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions are known.

10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

10.5. Incompatible materials

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | | |
|------------|---|---------------|--------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | | |
| | inhalation (4 h) gas | LC50 | >5 ppm | Rat | | |
| 85535-85-9 | Chlorparaffines C14-C28 | | | | | |
| | oral | LD50 mg/kg | 4000 | Rat | | |
| | dermal | LD50 mg/kg | 4000 | Rat | | |
| | | LC50 mg/l | 48170 | Rat | | |

Irritation and corrosivity

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation. Irritation of eyes: Irritant effect possible.

Sensitising effects

no danger of sensitization.

SECTION 12: Ecological information

12.1. Toxicity





Bike-Line Engine Flush

Revision date: 14.12.2018

Product code: 248

Page 6 of 8

| CAS No | Chemical name | | | | | | |
|------------|---|---------------|----------|-----------|------------------------------------|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 64742-48-9 | Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1000 | 96 h | Oncorhynchus mykiss | | |
| | Acute algae toxicity | ErC50 mg/l | 1000 | | Pseudokirchneriella subcapitata | | |
| | Acute crustacea toxicity | EC50 mg/l | 1000 | | Daphnia magna (Big water flea) | | |
| 85535-85-9 | Chlorparaffines C14-C28 | | | | | | |
| | Acute algae toxicity | ErC50 | 3,2 mg/l | 96 h | Algae | | |

12.2. Persistence and degradability

Product is partially biodegradable. Surfactants fully biodegradable.

12.3. Bioaccumulative potential

Low potential of bio-accumulation.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment No information available.

12.6. Other adverse effects

No information available.

Further information

Do not empty into drains or the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not dispose with household waste.

Do not empty into drains or the aquatic environment.

Arrange about the exact waste code with the local waste disposal expert.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Waste disposal number of waste from residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Container must be completely emptied. Do not pierce, cut up or weld unclean container. (Explosion hazard.)

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:





Bike-Line Engine Flush

Product code: 248 Revision date: 14.12.2018 Page 7 of 8 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Other applicable information (land transport) No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) Other applicable information (inland waterways transport) No dangerous good in sense of this transport regulation. Marine transport (IMDG) Other applicable information (marine transport) No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) Other applicable information (air transport) No dangerous good in sense of this transport regulation. 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** no 14.6. Special precautions for user No information available. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No information available. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

Additional information

Contains:

> 30 % hydrocarbons, aliphatic.

< 5 % halogenated hydrocarbons

National regulatory information

Water contaminating class (D):

2 - clearly water contaminating

Additional information

Regarding the EU-directive 2008/105/EU contains the product none of the listed substances. The containing Chlorparaffines are only long-chained (C14-C22) and not listed in the EU-directive 2008/105/EU.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Asp. Tox. 1; H304 | Calculation method |
| Lact.; H362 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |





Bike-Line Engine Flush

Revision date: 14.12.2018

Product code: 248

Page 8 of 8

Relevant H and EUH statements (number and full text)

| H304 | May be fatal if swallowed and enters airways. |
|--------|---|
| H362 | May cause harm to breast-fed children. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| | |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)