



# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Autoprofi Lead Substitute Concentrate 1:1000

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Lubricating agent

# 1.3. Details of the supplier of the safety data sheet

Company name:	CTP GmbH	
Street:	Saalfelder Strasse 35h	
Place:	D-07338 Leutenberg	
Telephone:	+49 (0)36734 230-0	Telefax: +49 (0)36734 230-22
e-mail:	msds@bluechemgroup.com	
Contact person:	Jens Moeller, DiplChem.	Telephone: +49 (0)36734 230-19
Internet:	www.bluechemgroup.com	
1.4. Emergency telephone	GBK GmbH: +49-(0)6132-84463 (24/7)	

# number:

# Further Information

Article Number: 43222

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Hazard categories: Flammable liquid: Flam. Liq. 3 Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

Danger

# 2.2. Label elements

**GB CLP Regulation** 

#### Hazard components for labelling

Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates Hydrocarbons, C9-C11, Isoalkanes, Cycloalcanes, < 2% Aromates Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics Potassium-1,2-bis(2-ethylhexyloxycarbonyl)ethane-sulphonate

### Signal word:

#### Pictograms:







Autoprofi	Lead	Substitute	Concentrate	1:1000
-----------	------	------------	-------------	--------

	Autoprofi Lead Substitute Concentrate 1:1000	
evision date: 03.09.2021	Product code: 1093	Page 2 of 10
Hazard statements		
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	
	smoking.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye/face protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P405	Store locked up.	
P501	Dispose of this material and its container to hazardous or special waste collection point.	
Labelling of packages	where the contents do not exceed 125 ml	
Signal word:	Danger	
Pictograms:		



# Hazard statements

H304-H318-H336-H412

**Precautionary statements** 

P101-P102-P271-P280-P301+P310-P331-P305+P351+P338-P310-P405-P501

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

**Chemical characterization** Petroleum (Gasoline)





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 3 of 10

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64742-48-9	Hydrocarbons, C9-C11, n-Alkanes,	Isoalkanes, Cyclenes, < 2% Aromat	es	50 - < 55 %
	919-857-5		01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox.	1; H226 H336 H304 EUH066		
64742-47-8	Hydrocarbons, C9-C11, Isoalkanes, Cycloalcanes, < 2% Aromates			20 - < 25 %
	920-134-1		01-2119480153-44	
	Flam. Liq. 3, STOT SE 3, Asp. Tox.	1, Aquatic Chronic 2; H226 H336 H	304 H411 EUH066	
64742-47-8	Hydrocarbons, C11-C14, n-alkanes	, isoalkanes, cyclics, < 2% aromatic	s	10 - < 15 %
	926-141-6		01-2119456620-43	
	Asp. Tox. 1; H304 EUH066	•		
7491-09-0	Potassium-1,2-bis(2-ethylhexyloxyo	arbonyl)ethane-sulphonate		10 - < 15 %
	231-308-5		01-2119919740-39	
	Skin Irrit. 2, Eye Dam. 1; H315 H31	8		

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
64742-48-9	919-857-5	Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates	50 - < 55 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg			
64742-47-8	920-134-1	Hydrocarbons, C9-C11, Isoalkanes, Cycloalcanes, < 2% Aromates	20 - < 25 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg			
64742-47-8	926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
	inhalation: LC50 = > 5000 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Move victim to fresh air. Put victim at rest and keep warm.

# After inhalation

Move victim to fresh air. Put victim at rest and keep warm. In case of difficulties of breathing consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

#### After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes . After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

# After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

# After ingestion

Let water be drunken in little sips (dilution effect). Consult physician.





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 4 of 10

#### 4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation. Irritation of eyes: Irritant effect possible. After ingestion: Harmful: may cause lung damage if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Warning about danger of aspiration.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Extinguishing powder. Sand. alcohol resistant foam. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible.

In case of fire and/or explosion do not breathe fumes.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Cool endangered container in case of fire. Contaminated fire-fighting water must be collected separately.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

In case of fire: Wear self-contained breathing apparatus. Keep away from sources of ignition - No smoking.

### 6.2. Environmental precautions

Beat down gas/vapours/mist with water spray. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier). Wipe up with absorbent material (eg. cloth, fleece).

### 6.4. Reference to other sections

No data

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Closed devices. Vapours / aerosols must be extracted by suction immediately at point of origin. Avoid contact with skin and eyes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Further information on storage conditions

Packaging materials: metal.





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 5 of 10

# 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# 8.2. Exposure controls

#### Protective and hygiene measures

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

#### Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (DIN EN 166)

#### Hand protection

Tested protective gloves are to be worn: Butyl rubber. (EN ISO 374)

#### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

### **Respiratory protection**

In case of accumulation of fumes/aerosols, provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	transparent	
Odour:	characteristic	
Changes in the physical state		
Boiling point or initial boiling point and boiling range:		145 - 200 °C
Flash point:		35 °C
Lower explosion limits:		0,6 vol. %
Upper explosion limits:		6,5 vol. %
Auto-ignition temperature:		> 200 °C
Vapour pressure: (at 20 °C)		4 hPa
Density (at 20 °C):		0.790 - 0.82 g/cm³
Water solubility: (at 20 °C)		insoluble
Solubility in other solvents		
Organic solvents		
9.2. Other information		
No data		

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No decomposition when used as intended.





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 6 of 10

# 10.3. Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### 10.5. Incompatible materials

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

#### 10.6. Hazardous decomposition products

Carbon monoxide (CO).

Carbon dioxide (CO2).

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64742-48-9	Hydrocarbons, C9-C11, r	n-Alkanes, I	soalkanes, C	yclenes, < 2% Aromates		
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>5000	Rabbit		
	inhalation (4 h) aerosol	LC50	>5 mg/l	Rat		
64742-47-8	Hydrocarbons, C9-C11, I	soalkanes,	Cycloalcanes	s, < 2% Aromates		
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>5000	Rabbit		
	inhalation (4 h) aerosol	LC50	>5 mg/l	Rat		
64742-47-8	Hydrocarbons, C11-C14,	n-alkanes,	isoalkanes, c	cyclics, < 2% aromatics		
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
	inhalation (4 h) vapour	LC50 mg/l	> 5000	Rat		

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates; Hydrocarbons, C9-C11, Isoalkanes, Cycloalcanes, < 2% Aromates)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.





Page 7 of 10

according to UK REACH Regulation

# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

# Aspiration hazard

May be fatal if swallowed and enters airways.

# Practical experience

#### Other observations

No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-48-9	Hydrocarbons, C9-C11, n	-Alkanes, Is	soalkanes, C	yclenes, ·	< 2% Aromates		
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss		
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna		
64742-47-8	Hydrocarbons, C9-C11, Is	soalkanes, (	Cycloalcanes	, < 2% A	romates		
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss		
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna		
7491-09-0	Potassium-1,2-bis(2-ethyl	hexyloxyca	rbonyl)ethan	e-sulphor	nate		
	Acute fish toxicity	LC50 mg/l	>100	96 h	Fish		
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Algae		
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)		

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

#### Swims on the water.

Low potential of bio-accumulation.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	6 - 8

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 8 of 10

# **Disposal recommendations**

Do not dispose with household waste.

Do not allow to enter into surface water or drains.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal

companies and with authorities in charge.

Arrange about the exact waste code with the local waste disposal expert.

# Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. Do not pierce, cut up or weld unclean container. (Explosion hazard.)

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity: Excepted quantity:	5 L E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates)
14.3. Transport hazard class(es):	3
<u>14.4. Packing group:</u>	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	UN 1993
14.1. UN number:	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates)





Autor Revision date: 03.09.2021	profi Lead Substitute Concentrate 1:1000 Product code: 1093	Page 9 of 10
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Marine pollutant:	• •	
Special Provisions:	223, 274, 955	
Limited quantity:	5 L	
Excepted quantity: EmS:	E1	
Ems: Air transport (ICAO-TI/IATA-DGR)	F-E, S-E	
	UN 1993	
14.1. UN number:	FLAMMABLE LIQUID, N.O.S.	
14.2. UN proper shipping name:	(Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity:	A3 10 L Y344 E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L	
IATA-packing instructions - Cargo:	366	
IATA-max. quantity - Cargo:	220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
<b>14.6. Special precautions for user</b> No information available.		
<b>14.7. Transport in bulk according to Annex</b> No information available.	II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII) Entry 3, Entry 28	c.	
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		

Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclenes, < 2% Aromates





# Autoprofi Lead Substitute Concentrate 1:1000

Revision date: 03.09.2021

Product code: 1093

Page 10 of 10

Hydrocarbons, C9-C11, Isoalkanes, Cycloalcanes, < 2% Aromates Potassium-1,2-bis(2-ethylhexyloxycarbonyl)ethane-sulphonate

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,11,12,14,15.

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)