



according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bio Multi Spray 500ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

1.3. Details of the supplier of the safety data sheet

Company name: CTP GmbH

Street: Saalfelder Strasse 35h
Place: D-07338 Leutenberg

Telephone: +49 (0)36734 230-0 Telefax: +49 (0)36734 230-22

e-mail: msds@bluechemgroup.com

Contact person: Jens Moeller, Dipl.-Chem. Telephone: +49 (0)36734 230-19

Internet: www.bluechemgroup.com

1.4. Emergency telephone GBK GmbH: +49-(0)6132-84463 (24/7)

number:

Further Information

Article Number: 2981, 2984

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aerosol 1; H222-H229 Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:



Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of this material and its container to hazardous or special waste collection point.

Special labelling of certain mixtures





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 2 of 10

EUH066 Repeated exposure may cause skin dryness or cracking.

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures

may develop.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H222-H229

Precautionary statements

P102-P210-P211-P251-P410+P412

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solvent mixture

Aerosol propellent: Propane/butane-mixture

Hazardous components

Chemical name			Quantity
EC No	Index No	REACH No	
GHS Classification	•		
Hydrocarbons, C10-C13, n-Alkane	45 - < 50 %		
918-481-9		01-2119457273-39	
Asp. Tox. 1; H304 EUH066	•	·	
propane			15 - < 20 %
200-827-9		01-2119486944-21	
Flam. Gas 1A, Compressed gas; I	H220 H280	·	
Butane			15 - < 20 %
203-448-7		01-2119474691-32	
Flam. Gas 1A, Compressed gas; !			
Distillates, hydrotreated light, naphthenic			15 - < 20 %
265-156-6		01-2119480375-34	
Asp. Tox. 1; H304			
isobutane			5 - < 10 %
200-857-2		01-2119485395-27	
Flam. Gas 1, Compressed gas; H			
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			1 - < 5 %
203-905-0		01-2119475108-36	
Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319			
	EC No GHS Classification Hydrocarbons, C10-C13, n-Alkane 918-481-9 Asp. Tox. 1; H304 EUH066 propane 200-827-9 Flam. Gas 1A, Compressed gas; Butane 203-448-7 Flam. Gas 1A, Compressed gas; Distillates, hydrotreated light, napl 265-156-6 Asp. Tox. 1; H304 isobutane 200-857-2 Flam. Gas 1, Compressed gas; H 2-butoxyethanol, butyl cellosolve, 203-905-0	EC No GHS Classification Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, <918-481-9 Asp. Tox. 1; H304 EUH066 propane 200-827-9 Flam. Gas 1A, Compressed gas; H220 H280 Butane 203-448-7 Flam. Gas 1A, Compressed gas; H220 H280 Distillates, hydrotreated light, naphthenic 265-156-6 Asp. Tox. 1; H304 isobutane 200-857-2 Flam. Gas 1, Compressed gas; H220 H280 2-butoxyethanol, butyl cellosolve, ethylene glycol monobut 203-905-0	EC No Index No REACH No GHS Classification Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics 918-481-9 01-2119457273-39 Asp. Tox. 1; H304 EUH066 propane 200-827-9 01-2119486944-21 Flam. Gas 1A, Compressed gas; H220 H280 Butane 203-448-7 01-2119474691-32 Flam. Gas 1A, Compressed gas; H220 H280 Distillates, hydrotreated light, naphthenic 265-156-6 01-2119480375-34 Asp. Tox. 1; H304 isobutane 200-857-2 01-2119485395-27 Flam. Gas 1, Compressed gas; H220 H280 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether 203-905-0 01-2119475108-36

Full text of H and EUH statements: see section 16.





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 3 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64742-48-9	918-481-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics	45 - < 50 %
	dermal: LD50 =	> 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
111-76-2	203-905-0	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	1 - < 5 %
	inhalation: LC50 = >10 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 1300 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Change contaminated clothing.

After inhalation

Provide fresh air. If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

In case of skin irritation, seek medical treatment.

After contact with eyes

If product gets into the eye, keep e4yelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an opthalmologist.

After ingestion

Do NOT induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder.

Carbon dioxide (CO2).

Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Swims on the water. Vapours are heavier than air and will spread at floor level.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Cool endangered container in case of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable solvent-proof protective clothing according to EN 465. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes.

Do not breathe gas/fumes/vapour/spray.





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 4 of 10

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Explosive. Vapours may form explosive mixtures with air.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep only in the original container in a cool, well-ventilated place. Have to care for a good Ventilation at workplace.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Vapours may form explosive mixtures with air.

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

The floor should be leak tight, jointless and not absorbent. Keep only in the original container in a cool, well-ventilated place. Do not store at temperatures over: 50 °C

Heating causes rise in pressure with risk of bursting.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246	l	STEL (15 min)	WEL
106-97-8	Butane	600	1450	l	TWA (8 h)	WEL
		750	1810	ĺ	STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 5 of 10

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes.

Hand protection

Tested protective gloves are to be worn: FKM (Fluoroelastomer (Viton)).NBR (Nitrile rubber).

Respiratory protection

Have to care for a good Ventilation at workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: colourless
Odour: characteristic

Changes in the physical state

Boiling point or initial boiling point and

boiling range:

Auto-ignition temperature: > 200 °C

Density (at 20 °C): 0,692 g/cm³

Water solubility: sparingly soluble.
(at 20 °C)

Solvent content: 85,6 %

9.2. Other information

Solid content: 0.0 %

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions are known.

10.4. Conditions to avoid

Do not store at temperatures over: 50 °C Keep away from heat.

10.5. Incompatible materials

strong acids Alkali (lye)

10.6. Hazardous decomposition products

No decomposition when used as intended.

No dangerous reactions are known.

Carbon monoxide.

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 6 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13,	n-Alkanes, Isoalkanes	, Cyclics, < 2% Aromatics		
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
111-76-2	2-butoxyethanol, butyl ce	llosolve, ethylene glyc	ol monobutyl ether		
	oral	LD50 1300 mg/kg	Rat		
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 >10 mg/	Guinea pig		
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Practical experience

Other observations

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13,	lydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics			
	Acute fish toxicity	LC50 1000 mg/l	96 h Oncorhynchus mykiss		
	Acute algae toxicity	ErC50 1000 mg/l	72 h Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 1000 mg/l	48 h Daphnia magna (Big water flea)		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.





according to UK REACH Regulation

	Bio Multi Spray 500ml	
Revision date: 24.03.2022	Product code: 548	Page 7 of 10

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
74-98-6	propane	2,36
75-28-5	isobutane	2,8

12.4. Mobility in soil

No information available.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose with household waste.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

Propane/butane-mixture

14.3. Transport hazard class(es): 2
14.4. Packing group: -

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Hazard No: Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number: UN 1950





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 8 of 10

14.2. UN proper shipping name: AEROSOLS

Propane/butane-mixture

14.3. Transport hazard class(es): 2
14.4. Packing group:

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

Propane/butane-mixture

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Marine pollutant:

Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950

14.2. UN proper shipping name:

AEROSOLS, FLAMMABLE
Propane/butane-mixture

14.3. Transport hazard class(es):2.114.4. Packing group:-

Hazard label: 2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:

IATA-max. quantity - Passenger:

IATA-packing instructions - Cargo:

IATA-max. quantity - Cargo:

150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 9 of 10

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 29, Entry 40, Entry 75

2010/75/EU (VOC): 83 % (574,36 g/l) 2004/42/EC (VOC): 83 % (574,36 g/l)

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

Additional information

Contains:

> 30 % aliphatic hydrocarbons < 5 % aromatic hydrocarbons

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

propane Butane

Distillates, hydrotreated light, naphthenic

isobutane

2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,9,11,12,14,15.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	

H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

EUH066 Repeated exposure may cause skin dryness or cracking.





according to UK REACH Regulation

Bio Multi Spray 500ml

Revision date: 24.03.2022 Product code: 548 Page 10 of 10

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)